



\*\*FILE\*\*ID\*\*XIDRIVER

F 11

XX XX IIIIIII DDDDDDDDD RRRRRRRRR IIIIIII VV VV EEEEEEEEEE RRRRRRRRR  
XX XX IIIIIII DDDDDDDDD RRRRRRRRR IIIIIII VV VV EEEEEEEEEE RRRRRRRRR  
XX XX II DD DD RR RR IIIIIII VV VV EE RR RR  
XX XX II DD DD RR RR IIIIIII VV VV EE RR RR  
XX XX II DD DD RR RR IIIIIII VV VV EE RR RR  
XX XX II DD DD RR RR IIIIIII VV VV EE RR RR  
XX XX II DD DD RRRRRRRR IIIIIII VV VV EEEEEEEEEE RRRRRRRR  
XX XX II DD DD RRRRRRRR IIIIIII VV VV EEEEEEEEEE RRRRRRRR  
XX XX II DD DD RR RR IIIIIII VV VV EE RR RR  
XX XX II DD DD RR RR IIIIIII VV VV EE RR RR  
XX XX IIIIIII DDDDDDDDD RR RR IIIIIII VV VV EEEEEEEEEE RRRRRRRR  
XX XX IIIIIII DDDDDDDDD RR RR IIIIIII VV VV EEEEEEEEEE RRRRRRRR

+-----+  
! Object Module Synopsis !  
+-----+

Module Name	Ident	Bytes	File	Creation Date	Creator
XIDRIVER	V04-001	1115	\$255\$DUA28:[DRIVER.OBJ]DRIVER.OLB;1	16-SEP-1984 00:16	VAX/VMS Macro V04-00
SYS	V04-000	0	\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00
SYSSIODEF	V04-000	0	\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:18	VAX/VMS Macro V04-00

-----  
! Image Section Synopsis !  
-----

Cluster	Type	Pages	Base Addr	Disk	VBN	PFC	Protection and Paging	Global Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	2	3	00000000	2	0	READ	WRITE	COPY ON REF			

Key for special characters above:

-----  
! R - Relocatable !  
! P - Protected !  
-----

+-----+  
! Program Section Synopsis !  
+-----+

Psect Name	Module Name	Base	End	Length	Align	Attributes
-----	-----	----	---	-----	-----	-----
\$_\$\$_105_PROLOGUE	XIDRIVER	00000000	00000068	00000069 (	105.)	BYTE 0 NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
		00000000	00000068	00000069 (	105.)	BYTE 0
\$_\$\$_115_DRIVER	XIDRIVER	0000006C	0000045D	000003F2 (	1010.)	LONG 2 NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
		0000006C	0000045D	000003F2 (	1010.)	LONG 2

-----  
 ! Symbol Cross Reference !  
 -----

Symbol	Value	Defined By	Referenced By ...
COMSFLUSHATNS	8000E0B5	SYS	XIDRIVER
COMSSETATTNAST	8000E13B	SYS	XIDRIVER
DEVSM_AVL	00040000	SYSSIODEF	XIDRIVER
DEVSM_IDV	04000000	SYSSIODEF	XIDRIVER
DEVSM_ODV	08000000	SYSSIODEF	XIDRIVER
DEVSM_RTM	20000000	SYSSIODEF	XIDRIVER
EXESABORTIO	80009C1C	SYS	XIDRIVER
EXESFINISHIO	80009C2B	SYS	XIDRIVER
EXESFORK	8000A048	SYS	XIDRIVER
EXESGL_TENUSEC	80002C50	SYS	XIDRIVER
EXESGL_UBDELAY	80002C54	SYS	XIDRIVER
EXESIOFORK	8000A044	SYS	XIDRIVER
EXESREAD	8000950F	SYS	XIDRIVER
EXESSENSEMODE	800096D2	SYS	XIDRIVER
EXESSETCHAR	80009695	SYS	XIDRIVER
EXESWRITE	80009518	SYS	XIDRIVER
IOC\$CANCELIO	8000CD71	SYS	XIDRIVER
IOC\$MNTVER	8000CF43	SYS	XIDRIVER
IOC\$MOVFRUSER	8000C9A9	SYS	XIDRIVER
IOC\$MOVTOUSER	8000C9C1	SYS	XIDRIVER
IOC\$REQCOM	8000CEB4	SYS	XIDRIVER
IOC\$RETURN	8000D355	SYS	XIDRIVER
IOC\$WFIKPCH	8000D356	SYS	XIDRIVER
SCH\$QAST	80009F68	SYS	XIDRIVER
SYSSK VERSION	48513258	SYS	
XISDDT	0000006C-R	XIDRIVER	

-----  
! Symbols By Value !  
-----

Value

-----  
0000006C R-XISDDT  
00040000 DEVSM\_AVL  
04000000 DEVSM\_IDV  
08000000 DEVSM\_ODV  
20000000 DEVSM\_RTM  
48513258 SYSSK\_VERSION  
80002C50 EXE\$GL\_TENUSEC  
80002C54 EXE\$GL\_UBDELAY  
8000950F EXE\$READ  
80009518 EXE\$WRITE  
80009695 EXE\$SETCHAR  
800096D2 EXE\$SENSEMODE  
80009C1C EXE\$ABORTIO  
80009C2B EXE\$FINISHIO  
80009F68 SCH\$QAST  
8000A044 EXE\$IOFORK  
8000A048 EXE\$FORK  
8000C9A9 IOC\$MOVFRUSER  
8000C9C1 IOC\$MOVTOUSER  
8000CD71 IOC\$CANCELIO  
8000CEB4 IOC\$REQCOM  
8000CF43 IOC\$MNTVER  
8000D355 IOC\$RETURN  
8000D356 IOC\$WF1KPCH  
8000E0B5 COM\$FLUSHATTWS  
8000E138 COM\$SETATTNAST

-----  
Symbols...  
-----

Key for special characters above:

-----  
\* - Undefined  
U - Universal  
R - Relocatable  
X - External  
-----

+-----+  
! Image Synopsis !  
+-----+

Virtual memory allocated:

Stack size:

Image header virtual block limits:

Image binary virtual block limits:

Image name and identification:

Number of files:

Number of modules:

Number of program sections:

Number of global symbols:

Number of cross references:

Number of image sections:

Image type:

Map format:

Estimated map length:

00000000 000005FF 00000600 (1536. bytes, 3. pages)

0. pages

1. ( 1. block)

2. 4. ( 3. blocks)

XIDRIVER V04-001

4.

3.

5.

25.

50.

1.

NOPIC, SHAREABLE. Global Section Match=EQUAL, Ident, Major=18, Minor=14922834  
FULL WITH CROSS REFERENCE in file \_S255\$DUA28:[DRIVER.LIS]XIDRIVER.MAP;1

21. blocks

+-----+  
! Link Run Statistics !  
+-----+

## Performance Indicators

	Page Faults	CPU Time	Elapsed Time
Command processing:	27	00:00:00.28	00:00:01.51
Pass 1:	55	00:00:01.32	00:00:07.96
Allocation/Relocation:	6	00:00:00.14	00:00:01.62
Pass 2:	6	00:00:00.25	00:00:01.11
Map data after object module synopsis:	7	00:00:00.24	00:00:00.24
Symbol table output:	0	00:00:00.04	00:00:00.57
Total run values:	101	00:00:02.27	00:00:13.11

Using a working set limited to 600 pages and 77 pages of data storage (excluding image)

Total number object records read (both passes): 246  
of which 65 were in libraries and 2 were DEBUG data records containing 76 bytesNumber of modules extracted explicitly = 1  
with 1 extracted to resolve undefined symbols

4 library searches were for symbols not in the library searched

A total of 4 global symbol table records was written

LINK/USERLIB=PROC/NOSYSSHR/NOTRACEBACK/NODEBUG/SHARE=EXES:XIDRIVER/CONTIGUOUS/MAP=MAPS:XIDRIVER/FULL/CROSS LIBS:DRIVER/INCLUDE=XIDRIVER,EXSH:SYS.STB/SELECTIVE,SYSSINPUT/OPTION  
BASE=0

0106 AH-BT13A-SE  
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION  
CONFIDENTIAL AND PROPRIETARY

